



Deep / Preparation Cleaning Of Porous Building Material

1. External Natural Stone and concrete paving also suitable for garden walls and timber decking = **Stontex All In One Outdoor Cleaner 5L**, coverage rate depends on how dirty the material is but average 5L = 30sqm. Do Not Spray, mix in bucket 1 to 1 and apply with a deck brush agitate well and solution will foam up like shampoo allow to dwell for up to 30mins then power wash / hose the area with water.
2. External Natural Stone, Brick, Roof Tiles, Render and Wooden cladded walls = **Stontex Green To Clean 5L**, coverage rate depends on how dirty the material is but average 5L = 80sqm. Spray the diluted 1 to 5 mix, onto the stained surface and allow to dwell overnight then power wash / hose the area with water.
3. Internal Natural Stone, ceramic and porcelain internal floor tiles = **Stontex Heavy Duty Grime Remover 1L**, coverage rate depends on how dirty the material is but average 1L = 50sqm, dilute 1 to 10 and apply by agitating surface with a nylon brush allow to dwell for 15mins and wash thoroughly with clean water.

Protection Of Porous Building Material

1. Natural Stone paving / tiles with natural look finish = **Stontex Rapid Dry Stone Sealer 1L & 5L**, coverage rate 8sqm to 12sqm depending on porosity of the material, normally 1 coat treatment but additional coat may be required for added protection.
2. Natural Stone paving / tiles with wet look finish = **Stontex Colour Intensifier 1L & 5L** coverage rate 8sqm to 12sqm depending on porosity of the material, normally 1 coat treatment but additional coat may be required to uniform the colour.
3. Natural Stone, Brick, Render, cladded walls also Roof Tiles to achieve a natural look finish = **Stontex Façade Pro500 25L**, coverage rate 4sqm to 8sqm depending on porosity of the material, normally 1 coat treatment but additional coat may be required for added protection.
4. Mono Block / Concrete Block paving driveways natural look finish (additional coats will give a wet look) = **Stontex Paver Plus 5L & 25L**, coverage rate 3sqm to 6sqm depending on size of the blocks, normally 1 coat treatment but additional coats may be required to enhance the colour. Consolidates the kiln dried sand in the joints and seals the face of the paver for stain protection.



Ongoing Maintenance Of Porous Building Material

- 1 External Natural Stone and concrete paving also suitable for garden walls and timber decking = **Stontex Green to Clean 5L**, coverage rate depends on how dirty the material is but average 5L = 100sqm. Spray directly onto the algae/ lichen stained surface, mix in a 25L knapsack sprayer 1x 5L green to clean and fill rest of container with water this is a full-strength mix. Pick a dry day as needs to be dry at least four hours after application, then simply spray and walk away within a few days up to two weeks all organic stains will be gone and active enzymes will continue to work for up to 9 months. No power washing or scrubbing of any kind cleaner activated by UV new innovative technology.
- 2 External Natural Stone, Brick, Roof Tiles, Render and Wooden cladded walls = **Stontex Green To Clean 5L**, coverage rate depends on how dirty the material is but average 5L = 100sqm. Spray directly onto the algae/ lichen stained surface, mix in a 25L knapsack sprayer 1x 5L green to clean and fill rest of container with water this is a full-strength mix. Pick a dry day as needs to be dry at least four hours after application, then simply spray and walk away within a few days up to two weeks all organic stains will be gone and active enzymes will continue to work for up to 9 months. No power washing or scrubbing of any kind cleaner activated by UV new innovative technology
- 3 Internal Natural Stone, ceramic and porcelain floor tiles = **Stontex Multi Clean 1L**, coverage rate average 1L = 800sqm, dilute 1 to 50 and apply by mop and bucket however a steam mop would be much better that way you are not moving the dirty water all around the floor. Our **Stontex Multi Clean 1L** is also a disinfectant kills e-coli, MRSA and other common bacteria and has a unique streak free formula for polished floor tiles.

STONE CLEANING - WATER BASED

ALGANET



DESCRIPTION: WATER SOLUBLE CLEANING DETERGENT FOR REMOVAL ALGAE, MOULD, MILDEW, MOSS AND NATURAL STAINS CAUSED BY TREES AND PLANTS AND WOOD.

RECOMMENDED USE: POLISHED OR HONED MARBLE, GRANITE, NATURAL STONE, TERRAZZO, TERRACOTTA, QUARRY, FLAGSTONE, CONCRETE PAVERS.

- ENVIRONMENTALLY SAFE TO USE.
- FOR EXTERIOR OUTDOOR USE SUCH AS STAIRS, PATHS, TERRACES, WALLS, GRAVE STONES, TERRACES, ROOFS.
- DOMESTIC AND COMMERCIAL USE
- EFFECTIVE REMOVAL OF NATURAL STAINS, ALGAE, MOULD, MILDEW, MOSS FROM PLANTS AND TREES AND WOOD.
- EFFECTIVE PREVENTION TREATMENT.



Properties

ALGANET is environmentally safe concentrated water soluble cleaner. Removes ingrained dirt, mould, Algae, mildew stains from all types of surfaces. Ideal preventative treatment.

Important Safety Note: Use appropriate gloves in case of sensitive skin. Keep product well closed and out of reach of children. Additional information available on Material Safety Data Sheet.

APPLICATION—Test small area: - Determine your desired result by testing a discreet area. May be harmful to plants and surrounding grass if used pure. However any spillage should be washed off immediately. Sweep, wipe or vacuum surface first to remove general soil. Apply the desired solution by brush, spray or watering can onto the stone or tile. Allow product to work on soiled area between 30 to 60 minutes. Finally rinse thoroughly with clean water and remove any excess residues. If necessary slightly agitate surface of stone when rinsing with brush or nylon pad depending on the surface texture. Mop or wet vacuum up dirty solution.

Dilution Rates:

LIGHT CLEAN - 100ml Product to 2 Litres water (1:20)
NORMAL CLEAN - 100ml Product to 1 Litres water (1:10)
HEAVY CLEAN - 100ml Product to 500ml water (1: 5)

STORE:

Dry surroundings above + 0°C

COVERAGE:

This is not possible to advise. Each situation and stain absorbed will vary according to different porosity, type of stone and surface finish.

RECOMMENDATION:

We recommend protecting stain sensitive surfaces with "Stain Guard" or "Platinum Solvent" Anti Stain solution and regular maintenance with "Stone Clean" detergent.

Packaging:

- 1 litre bottles childproof tamper evident cap (10 x 1 litre)
- 5 litre container (2x5 litre) childproof tamper evident cap
- 25 litre container

STONE CLEANING - WATER BASED

PRO CLEAN 04



DESCRIPTION: HEAVY DUTY DEEP CLEANING STRONG NEUTRAL DETERGENT

RECOMMENDED USE: MARBLE, GRANITE, ALL NATURAL STONE, TERRAZZO, CERAMIC, PORCELAIN, TERRACOTTA, QUARRY, FLAGSTONE, CONCRETE PAVERS AND GROUT.

- For interior and exterior use for polished and honed surfaces
- Effective for all surfaces Flooring- Kitchen, Bathrooms, Patio, all surroundings
- Will not effect existing treatments , biodegradable.
- Domestic and Commercial use. Manual or with scrubbing machine.
- Effective removal of stubborn engrained dirt, organic, oil, grease and grout surface residues.
- Extra Strong concentrated detergent for that extra special clean.



Properties

PRO CLEAN 04 is an environmentally safe, concentrated neutra cleaner and degreaser. Removes and dissolves heavy duty ingrained dirt, scuff marks on all types of surfaces, and will prevent mould and mildew staining and growth.

Important Safety Note

Use appropriate gloves in case of sensitive skin. Keep product well closed and out of reach of children. Additional information available on Material Safety Data Sheet.

APPLICATION

ALWAYS Test small area: - Determine your desired result by testing a discreet area.

Sweep, wipe or vacuum surface first to remove general soil. Apply the desired solution by mop, brush or spray onto the stone or tile. Allow product to work on soiled area for 3 to 5 minutes. Agitate solution with mop, brush or nylon pad depending on the surface texture, do not allow to dry.

Cleaning can be carried out manually or by scrubbing machine subject to the size of floor area involved. Mop or wet vacuum up dirty solution and rinse thoroughly with clean water and remove any excess residues.

Dilution Rates:

LIGHT CLEAN - 100ml Product to 2 Litres water (1:20)
NORMAL CLEAN - 100ml Product to 1 Litres water (1:10)
HEAVY CLEAN - 100ml Product to 500ml water (1: 5)

Coverage per Mix

Approx. 100m² +
Approx. 50m²
Approx. 25m²

STORE:

Dry surroundings above + 0°C

COVERAGE:

This is not possible to advise .Each situation and tain absorbed will vary according to different porosity, type of stone and surface finish.

RECOMMENDATION:

We recommend protecting stain sensitive surfaces with " Stain Guard" or "Platinum Solvent" Anti Stain solution and regular maintenance with "Stone Clean" detergent.

Packaging:

- 1 litre bottles childproof tamper evident cap (10 x 1 litre)

- 5 litre container (2x5 litre) childproof tamper evident cap